

See the New Release of MG 40
with Lever or Ring switch type.

MYTON series

A new series of MYTON are here

Highly durable and Easy to operate

MYTON series

Grinding and Sanding MYTON series



Grinding MYTON GRINDER

58 mm



[Compact and lightweight]

Model **MYG-25**

• Lever switch type

For Grinding Wheel 58 mm

Compact and lightweight type

4 inches

NEW



[For medium grinding]

Model **MG-40**

• Lever switch type

For Grinding Wheel 100 mm

Standard type

4 inches

NEW



[For medium grinding]

Model **MG-40** Non-CE

• Ring switch type

For Grinding Wheel 100 mm

Standard type

4 inches



[For medium grinding]

Model **MYG-40**

• Lever switch type

For Grinding Wheel 100 mm

Powerful type

Specifications

Model	MYG-25	MG-40 Lever Type	MG-40 Ring Type	MYG-40
Air Pressure	MPa (kgf/cm ²)		0.6 (5)	
Air Consumption	m ³ /min	0.42 (No-load)	0.50 (No-load)	0.50 (No-load) 0.69 (Load)
Free Speed	min ⁻¹ (rpm)	19000		13000
Depressed Center Grinding Wheel	mm	58		100
Abrasive Disc				
Inlet Size		Rc 1/4	Rc 3/8	Rc 3/8
Mass (Weight)	kg	0.6	1.6	1.5
Accessories Included	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • Spanner 19 • Grinding Wheel GS #80 x 58 • Bushing R 1/4 x NPT 1/4 	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Spanner 19 • Bushing R 3/8 x NPT 3/8 	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Spanner 19 • Bushing R 3/8 x NPT 3/8 	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8
*Included accessories may vary by country.				

5 inches



[For heavy grinding]

Model **MYG-50**

• Lever switch type
• With anti-vibration handle

For Grinding Wheel 125 mm

Heavy grinding type

7 inches



[For heavy grinding]


Model **MYG-70**

• Lever switch type

For Grinding Wheel 180 mm

Heavy grinding type

7 inches



[For heavy grinding]

Model **MYG-70** Non-CE

• Ring switch type

For Grinding Wheel 180 mm

Heavy grinding type

Specifications

Model	MYG-50	MYG-70 Lever Type	MYG-70 Ring Type
Air Pressure	MPa (kgf/cm ²)		0.6 (5)
Air Consumption	m ³ /min	0.75 (No-load)	0.70 (No-load) 0.95 (Load)
Free Speed	min ⁻¹ (rpm)	11000	7500
Depressed Center Grinding Wheel	mm	125	180
Abrasive Disc			
Inlet Size			Rc 3/8
Mass (Weight)	kg	2.5 (with handle)	2.4 (with handle)
Accessories Included	<ul style="list-style-type: none"> • Handle (anti-vibration type) • 4 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 • Pin Face Wrench 	<ul style="list-style-type: none"> • Handle • 6 mm Hex. Socket Screw Key • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 	<ul style="list-style-type: none"> • Handle • 6 mm Hex. Socket Screw Key • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8
*Included accessories may vary by country.			

Sanding MYTON SANDER

MAX 2 inches



[Compact and lightweight]

Model **MYS-20**

• Lever switch type

For Abrasive Discs 1", 1-1/2" and 2"
Compact and lightweight type

4 inches



[For light sanding]

Model **MYS-40**

• Lever switch type

For Abrasive Disc 100 mm
Light sanding type

7 inches



[For medium sanding]

Model **MYS-70** Non-CE

• Ring switch type
• Japanese model


For Abrasive Disc 180 mm
Medium sanding type

Specifications

Model	MYS-20	MYS-40	MYS-70
Air Pressure	MPa (kg/cm ²)	0.6 (6)	0.8 (8)
Air Consumption	m ³ /min	0.42 (No-load)	0.45 (No-load)
Free Speed	min ⁻¹ (rpm)	19000	13700
Depressed Center Grinding Wheel	mm	-	7600
Abrasive Disc	1", 1-1/2" and 2"	100 mm	180 mm
Inlet Size		Rc 1/4	Rc 3/8
Mass (Weight)	kg	0.6	1.1
Accessories Included	<ul style="list-style-type: none"> • 2 pieces of 14 mm Single Ended Spanner • Bushing R 1/4 x NPT 1/4 • 1" Disc Sanding Pad • 1-1/2" Disc Sanding Pad • 2" Disc Sanding Pad • Assortment of Sample Abrasive Discs Contains: 2 each of #60, #80, #100 and #120 1" Abrasive Disc • 2 each of #60, #80, #100 and #120 1-1/2" Abrasive Disc • 2 each of #60, #80, #100 and #120 2" Abrasive Disc 	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 1/4 x NPT 1/4 	<ul style="list-style-type: none"> • Handle • 41 mm Single Ended Spanner • 10 mm Hex. Socket Screw Key

Features

- New high durability motor
- Improved workpiece visibility due to low head design
- Improved noise reduction with new type silencer



Model **MYG-40**

New
Model **MG-40**

*1) Except MG-40, MYG-50, MYG-70 and MYS-70

*2) Except MYG-25, MG-40, MYS-20 and MYS-70



Applicable Grinding Wheel (commercially available)

	Diameter	Hole Diameter	Thickness
MYG-25	Applicable to our Grinding Wheels only		
MG-40	100 mm	16 mm	3 to 6 mm
MYG-40	100 mm	16 mm	3 to 6 mm
MYG-50	125 mm	22.2 mm	6 mm
MYG-70	180 mm	22.2 mm	6 or 8 mm

Grinding Discs for MYTON MYG-25

PN	Description	Sales Unit	Disc
TB08872	GS#46 x 58 mm	5 pcs./set	
TB08873	GS#60 x 58 mm	10 pcs./set	
TB08874	GS#80 x 58 mm	10 pcs./set	
TB08875	GS#100 x 58 mm	5 pcs./set	
TB08876	GS#120 x 58 mm		
TB09074	Myton Disc Z Z#40 x 58	5 pcs./set	
TB09075	Myton Disc Z Z#60 x 58		
TB09076	Myton Disc Z Z#80 x 58		
TB09077	Myton Disc Z Z#100 x 58		
TB09078	Myton Disc Z Z#120 x 58		
TB09079	Myton Disc SA A#40 x 58		
TB09080	Myton Disc SA A#60 x 58		
TB09081	Myton Disc SA A#80 x 58		
TB09082	Myton Disc SA A#100 x 58		
TB09083	Myton Disc SA A#120 x 58		

*Please use commercially available consumables for MYG-40/MYG-50/MYG-70.

Abrasive Discs and Disc Pads for MYTON MYS-20

PN	Description	Sales Unit	Sanding Disc	Disc Pad	Sales Unit
TB09736	Abrasive Disc 1" x #40	25 pcs./set			1 piece
TB09737	Abrasive Disc 1" x #60				
TB09738	Abrasive Disc 1" x #80				
TB09739	Abrasive Disc 1" x #100				
TB09740	Abrasive Disc 1" x #120				
TB09741	Abrasive Disc 1" x #180	25 pcs./set			1 piece
TB09742	Abrasive Disc 1" x #240				
TB09743	Abrasive Disc 1" x #320				
TB09744	Abrasive Disc 1 - 1/2" x #40				
TB09745	Abrasive Disc 1 - 1/2" x #60				
TB09746	Abrasive Disc 1 - 1/2" x #80				
TB09747	Abrasive Disc 1 - 1/2" x #100				
TB09748	Abrasive Disc 1 - 1/2" x #120				
TB09749	Abrasive Disc 1 - 1/2" x #180				
TB09750	Abrasive Disc 1 - 1/2" x #240				
TB09751	Abrasive Disc 1 - 1/2" x #320	25 pcs./set			1 piece
TB09752	Abrasive Disc 2" x #40				
TB09753	Abrasive Disc 2" x #60				
TB09754	Abrasive Disc 2" x #80				
TB09755	Abrasive Disc 2" x #100				
TB09756	Abrasive Disc 2" x #120				
TB09757	Abrasive Disc 2" x #180				
TB09758	Abrasive Disc 2" x #240				
TB09759	Abrasive Disc 2" x #320				

*Please use commercially available consumables for MYS-40/MYS-70.

NITTO KOHKI CO., LTD.

Head Office
9-4, Nakaikegami 2-chome, Ohta-ku, Tokyo 146-8555, Japan
Tel : +81-3-3755-1111 Fax : +81-3-3753-8791
E-mail : overseas@nitto-kohki.co.jp

Web www.nitto-kohki.co.jp/e



DISTRIBUTED BY

HAJO TOOL
PROFESSIONELT SPECIALVÆRKTØJ

Vejlegårdsvej 65B • DK - 2665 Vallensbæk Strand • Tlf.: +45 4444 2400
hajo@hajo.dk • www.hajo.dk